IronClad
EXCAVATORS

A DIVISION OF
POTHIER MOTORS



2.35 TON SHOWN

Compact crawlers for Atlantic work.

Eight models. 0.6 to 2.8 tonnes. Hammer lines. Dozer blades.

0.6 TON
0.6 t · 6.8 kW

1.0 TON
Kubota Z482 · 8.2 kW

1.2 TON
1.2 t · 10.2 kW

1.4 TON
1.4 t · 10.2 kW

1.8 TON
1.8 t · 14 kW

2.0 TON
2.0 t · 14 kW

2.35 TON
2.35 t · 14 kW

2.8 TON
2.8 t · 15.7 kW

18 Falmouth Back Rd, Falmouth, NS B0P 1P0
Toll-free 1-877-286-0154 · 902-798-9584 · pothiermotors.com

FAMILY OWNED SINCE 1957

THE RANGE

Lineup at a glance

Compact crawlers with hammer lines and a front dozer blade.
Eight models from 0.6 to 2.8 tonnes, petrol and Kubota diesel power.



0.6 TON

Loncin G300FA · 6.8 kW

0.6 t · 0.01 m³ bucket · zero tail



1.0 TON

Kubota Z482 · 8.2 kW

1.0 t class · 0.023 m³ bucket · dozer blade



1.2 TON

Kubota D722 · 10.2 kW

1.2 t · 0.025 m³ bucket · pilot servo



1.4 TON

Kubota D722 · 10.2 kW

1.4 t · 0.025 m³ bucket · pilot servo



1.8 TON

Kubota D1105 · 14 kW

1.8 t · 0.06 m³ bucket · zero tail



2.0 TON

Kubota D1105 · 14 kW

2.0 t · 0.07 m³ bucket · extendable track



2.35 TON

Kubota D1105-E4B · 14 kW

2.35 t · 0.07 m³ bucket · closed cab



2.8 TON

Kubota D1105 · 15.7 kW

2.8 t · 0.10 m³ bucket · closed cab

IRONCLAD CRAWLER

0.6 Ton



Zero-tail mini. 0.6 tonne.

SPECIFICATION

ENGINE
Loncin G300FA, petrol

POWER
6.8 kW at 3,600 rpm

EMISSIONS
Euro V / EPA Tier 4

OPERATING WEIGHT
0.6 t

BUCKET
0.01 cubic metres

EQUIPPED WITH

- Mechanical control
- Open canopy
- Zero tail swing
- Hydraulic breaker pipeline
- Dozer blade

Operating weight from the factory specification. Petrol power for the smallest jobs.

IRONCLAD CRAWLER

1.0 Ton



Kubota Z482. 1.0 tonne class.

SPECIFICATION

ENGINE
Kubota Z482, diesel, water-cooled

POWER
8.2 kW at 2,200 rpm

EMISSIONS
EPA Tier 4

OPERATING WEIGHT
1.0 t class

BUCKET
0.023 cubic metres

EQUIPPED WITH

- Hydraulic breaker pipeline
- Dozer blade
- Water-cooled Kubota engine

AVAILABLE OPTIONS

- Swing boom

Operating weight was not on the source list. Shown by weight class.

IRONCLAD CRAWLER

1.2 Ton



Zero-tail mini. 1.2 tonnes.

SPECIFICATION

ENGINE
Kubota D722, diesel

POWER
10.2 kW

EMISSIONS
Euro V / EPA Tier 4

OPERATING WEIGHT
1.2 t

BUCKET
0.025 cubic metres

EQUIPPED WITH

- Hydraulic pilot servo controls
- Breaker pipeline, plumbed
- Front dozer blade
- Swing side boom
- Telescopic track
- High and low travel speed
- Open canopy
- Zero tail swing

Operating weight from the factory specification. Boom carries the IronClad mark.

IRONCLAD CRAWLER

1.4 Ton



Zero-tail mini. 1.4 tonnes.

SPECIFICATION

ENGINE
Kubota D722, diesel

POWER
10.2 kW

EMISSIONS
Euro V / EPA Tier 4

OPERATING WEIGHT
1.4 t

BUCKET
0.025 cubic metres

EQUIPPED WITH

- Hydraulic pilot servo controls
- Breaker pipeline, plumbed
- Dozer blade
- Swing boom
- Rubber track, 200 mm
- Open canopy
- Zero tail swing

AVAILABLE OPTIONS

- Closed cab
- Air conditioning
- Extendable track
- High and low travel speed
- Piston pump

Operating weight from the factory specification. Ask Falmouth about options.

IRONCLAD CRAWLER

1.8 Ton



Zero-tail mini. 1.8 tonnes.

SPECIFICATION

ENGINE
Kubota D1105, diesel

POWER
14 kW at 2,200 rpm

EMISSIONS
EPA Tier 4 / Euro V

OPERATING WEIGHT
1.8 t

BUCKET
0.06 cubic metres

EQUIPPED WITH

- Breaker pipeline, plumbed
- Front dozer blade
- Swing side boom
- Open canopy
- Zero tail swing

AVAILABLE OPTIONS

- Extendable track with high and low speed
- Closed cab
- Air conditioning

Operating weight from the factory specification. Ask Falmouth about options.

IRONCLAD CRAWLER

2.0 Ton



Zero-tail mini. 2.0 tonnes.

SPECIFICATION

ENGINE
Kubota D1105, diesel

POWER
14 kW at 2,200 rpm

EMISSIONS
EPA Tier 4 / Euro V

OPERATING WEIGHT
2.0 t

BUCKET
0.07 cubic metres

EQUIPPED WITH

- Breaker pipeline, plumbed
- Front dozer blade
- Extendable track
- High and low travel speed
- Swing side boom
- Open canopy
- Zero tail swing

Operating weight from the factory specification. Boom carries the IronClad mark.

IRONCLAD CRAWLER

2.35 Ton



Closed cab. 2.35 tonnes.

SPECIFICATION

ENGINE
Kubota D1105-E4B, diesel

POWER
14 kW

EMISSIONS
EPA Tier 4 / Euro V

OPERATING WEIGHT
2.35 t

BUCKET
0.07 cubic metres

EQUIPPED WITH

- Closed cab with A/C and radio
- Hydraulic pilot servo controls
- Piston pump hydraulics
- Two-speed travel motor
- Extendable rubber track, 250 mm
- Side swing boom
- Breaker pipeline, plumbed
- Dozer blade

Operating weight from the factory specification. Shown on the cover.

IRONCLAD CRAWLER

2.8 Ton



Zero-tail mini. 2.8 tonnes.

SPECIFICATION

ENGINE
Kubota D1105, diesel

POWER
15.7 kW at 2,200 rpm

EMISSIONS
EPA Tier 4 / Euro V

OPERATING WEIGHT
2.8 t

BUCKET
0.10 cubic metres

EQUIPPED WITH

- Closed cab with air conditioning
- Hydraulic joystick controls
- Breaker pipeline, plumbed
- Front dozer blade
- High and low travel speed
- Swing side boom
- Zero tail swing

Operating weight from the factory specification. Ask Falmouth for availability.

SUPPORT

Warranty and how to order

Warranty

2 years or 4,000 hours of use, whichever comes first. Warranty support is handled through IronClad Excavators at Pothier Motors in Falmouth.

What is on every machine

Hydraulic breaker pipeline and front dozer blade on every model; closed cab with A/C on 2.35 and 2.8 Ton, available on 1.4 and 1.8 Ton. Kubota diesel power from 1.0 to 2.8 Ton; the 0.6 Ton runs a Loncin petrol engine.

Ordering

Call Falmouth to confirm the series, quantity, and attachments. Production is generally 30 days after the order is confirmed. A firm date is set when the order is placed.

A division of Pothier Motors Ltd.
18 Falmouth Back Rd, Falmouth, Nova Scotia B0P 1P0
1-877-286-0154 · 902-798-9584
pothiermotors.com

FAMILY OWNED
SINCE 1957